


New 2-1/4" Composite Design

Ballistic NailScrews®
WITH PT2000®
Coating for ACQ and All Other Treated Lumber


Deck Building Made Easy

With the UFO Ballistic NailScrew® and Composite Ballistic NailScrew® you can save up to 70% on labor versus regular screws! Save yourself time and money by using our patent pending **Hybrid™ Fasteners**. Why use old technology? You can now drive your screws with a pneumatic nailer! Get the quality of a screw with the ease of collated nails.


- 1 Treated Lumber Design - 2", 2-1/4", 2-1/2", and 3"
- 2 Composite Design Helps Prevent Mushrooming
- 3 Recommended in Trex® 2007 Installation Guide Page 8
- 4 Patent Pending Design: Fine Threads and a Ballistic Point Decrease Wood Fiber Damage



15° Wire Coil



20° Plastic Strip



PT2000® Colors:
Cedar, Gray, Tan,
Woodland Brown



Universal Fastener
Outsourcing

Find more information online: www.911-nails.com - 1-888-377-0028

© 2007 Universal Fastener Outsourcing, LLC

What can The Amazing NailScrew® do for you?

"Drive them in - Screw them out!"™

20° Plastic Strip
15° Wire Coil



Composite NailScrews - **PT2000®** With Colors

New 2-1/4" design engineered for Trex® Composite Decking. Available in Plastic Strip and Wire Coil Collations. **PT2000®** in cedar, gray, tan, and woodland brown colors.

PAGE 3

15° Plastic
Sheet Coil

1-1/4"
1-1/2"
2-1/2"

Plastic Sheet Coil - Yellow Zinc or **PT2000®**

Applications Include:
Manufactured Housing, Hardi® Board Siding, Pallet & Crating, Wallboard, Fastening to Wood or Metal (12, 14, 16, 18 and 20 Gauge- heavier gauges work best). Fencing items coming spring 2008

PAGE 6

20° Plastic Strip

1-3/4"
2"
2-1/4"
2-1/2"
3"

Plastic Strip - Yellow Zinc or **PT2000®**

Applications Include:
Manufactured Housing, Pallet & Crating, Subfloor, Roof Decking, Hardi® Board Siding.
Use **PT2000®** for decking, treated lumber, and other outdoor applications.

PAGE 4

15° Wire Coil

2"
2-1/4"
2-1/2"
3"

Wire Coil - Yellow Zinc or **PT2000®**

Applications Include:
Manufactured Housing, Pallet & Crating, Subfloor, Roof Decking, Hardi® Board Siding.
Use **PT2000®** for decking, treated lumber, and other outdoor applications.

PAGE 5

316 & 305 Stainless Steel NailScrews® Coming Spring 2008!



Composite Ballistic NailScrews®

Find the Perfect NailScrew® for you.

20° Plastic Strip PT2000® Coated with Color

Part Number	Length	Dia.	Head	Collation	Color	M/Case	Case / Skid
PTHDNS214CSQT	2-1/4"	0.120	#2 SQ	Plastic Strip	Tan	1	100
PTHDNS214CSQC	2-1/4"	0.120	#2 SQ	Plastic Strip	Cedar	1	100
PTHDNS214CSQG	2-1/4"	0.120	#2 SQ	Plastic Strip	Gray	1	100
PTHDNS214CSQB	2-1/4"	0.120	#2 SQ	Plastic Strip	Brown	1	100

Tools: UFO NailScrew Driver™; Amigo Brand Amigo & Amiga; Senco FramePro 502; Hitachi NR83A2 & NR90AC3; Bostitch F21PL & N88RH; DUO-FAST CN-350B & SNP-83, and other plastic strip framing nailers.



NailScrews® are recommended in the Trex® Spring Installation Guide 2007
New PT2000® with Colors



New Labels!



15° Wire Coil PT2000® plus Vinyl Coating

Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
PTWCNS214CSQ	2-1/4"	0.120	#2 SQ	Wire Coil	PT2000®	0.8	100

Tools: UFO NailScrew Driver™; Amigo Brand Rollo; Senco SCN80 & SCN85; Hitachi NV83A2; Bostitch N70 & N80; Max CN70 & CN80; Makita AN821; Paslode F325C and other wire coil framing nailers.

Increase productivity
40% over collated
screws and 70% over
hand drive screws

PT2000® with
Vinyl Coating



Estimated Usage: 2.1
NailScrews® per linear foot of
decking on 12" centered joists

See demonstration video online: www.911-nails.com
Call 1-888-377-0028

20° Plastic Strip for Framing Nailers

Find the Perfect NailScrew® for you.




Tools: UFO NailScrew Driver™; Amigo Brand Amigo & Amiga; Senco FramePro 502; Hitachi NR83A2 & NR90AC3; Bostitch F21PL & N88RH; DUO-FAST CN-350B & SNP-83, and other plastic strip framing nailers.

Yellow Zinc Coated for Interior Use: Subfloor, EWP, Pallet & Crating, etc.

Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
HDNS134120YZSQ	1-3/4"	0.120	#2 SQ	Plastic Strip	YZ	2	100
HDNS200131YZSQ	2"	0.131	#2 SQ	Plastic Strip	YZ	2	100
HDNS214113YZPH	2-1/4"	0.113	#2 PH	Plastic Strip	YZ	1.5	100
HDNS212120YZPH	2-1/2"	0.120	#2 PH	Plastic Strip	YZ	1.5	100
HDNS212120YZSQ	2-1/2"	0.120	#2 SQ	Plastic Strip	YZ	1.5	100
NEW HDNS300113YZPH	3"	0.113	#2 PH	Plastic Strip	YZ	1	100

NailScrews® average 46% - 75% stronger and provide more pull-out resistance than ring shank nails in testing.



Patent Pending

Intertek Test Report # 3100366-001 Averages

Size	Shear	Bend Yield	Pull-Out Resistance
2-1/4 x .113	1,239 lbs	102 lbf	510 lbf
2-1/2 x .120	1,478 lbs	133 lbf	580 lbf
<i>VS Ring Shank Nails:</i>			
2-3/8 x .113	843 lbs	72 lbf	442 lbf

PT2000® Alloy Coating for use in all Treated Lumber Decking including ACQ

Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
PTHDNS200113PH	2"	0.113	#2 PH	Plastic Strip	PT2000®	1	100
PTHDNS212113PH	2-1/2"	0.113	#2 PH	Plastic Strip	PT2000®	1	100
PTHDNS300113PH	3"	0.113	#2 PH	Plastic Strip	PT2000®	1	100



PT2000® Composite Colors



**316 & 305 Stainless Steel NailScrews®
Coming Spring 2008!**

PT2000® with Colors Engineered for Trex® Composite Decking

Part Number	Length	Dia.	Head	Collation	Color	M/Case	Case / Skid
PTHDNS214CSQT	2-1/4"	0.120	#2 SQ	Plastic Strip	Tan	1	100
PTHDNS214CSQC	2-1/4"	0.120	#2 SQ	Plastic Strip	Cedar	1	100
PTHDNS214CSQG	2-1/4"	0.120	#2 SQ	Plastic Strip	Gray	1	100
PTHDNS214CSQB	2-1/4"	0.120	#2 SQ	Plastic Strip	Brown	1	100

**Increase productivity 40% over collated screws
and 70% over hand drive screws**



Universal Fastener
Outsourcing



15° Wire Coil for Framing Nailers

Find the Perfect NailScrew® for you

Tools: UFO NailScrew Driver™; Amigo Brand Rollo; Senco SCN60 & SCN65; Hitachi NV83A2; Bostitch N70 & N80; Max CN70 & CN80; Makita AN621; Paslode F325C, and other wire coil framing nailers.


Yellow Zinc Coated for Interior Use: Subfloor, EWP, Pallet & Crating, etc.

Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
WCNS214113YZSQ	2-1/4"	0.113	#2 SQ	Wire Coil	YZ	3.6	56
WCNS214113YZPH	2-1/4"	0.113	#2 PH	Wire Coil	YZ	3.6	56
WCNS212113YZPH	2-1/2"	0.113	#2 PH	Wire Coil	YZ	3.6	56
WCNS212113YZSQ	2-1/2"	0.113	#2 SQ	Wire Coil	YZ	3.6	56
<small>NEW</small> WCNS300120YZSQ	3"	0.120	#2 SQ	Wire Coil	YZ	3.6	56

NailScrews® average 44% - 57% stronger and provide more pull-out resistance than ring shank nails in testing.

Intertek Test Report # 3100366-001 Averages

Patent Pending



Size	Shear	Bend Yield	Pull-Out Resistance
2-1/4 x .113	1,218 lbs	103 lbf	477 lbf
2-1/2 x .113	1,329 lbs	111 lbf	492 lbf
<i>VS Ring Shank Nails:</i>			
2-3/8 x .113	843 lbs	72 lbf	442 lbf

PT2000® Alloy Coating for use in all Treated Lumber Decking including ACQ


Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
PTWCNS200113SQ	2"	0.113	#2 SQ	Wire Coil	PT2000®	0.8	100
PTWCNS212113SQ	2-1/2"	0.113	#2 SQ	Wire Coil	PT2000®	0.8	100
PTWCNS300113SQ	3"	0.113	#2 SQ	Wire Coil	PT2000®	0.8	100

PT2000® Coated Engineered for Trex® Composite Decking

Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
PTWCNS214CSQ	2-1/4"	0.120	#2 SQ	Wire Coil	PT2000®	0.8	100

Engineered for
Trex®

PT2000® with
Vinyl Coating



**Increase Productivity 40%
over collated screws and
70% over hand drive screws.**

**316 & 305 Stainless Steel
NailScrews® Coming
Spring 2008!**

New and Improved
PT2000® Color



15° Plastic Sheet Coil for some Siding Nailers

Find the Perfect NailScrew® for You

Tools: UFO NailScrew Driver™; Amigo Brand Compadre; Senco SCN56; Hitachi NV65AH & NV75AG; Bostitch N66CP-1; MAX CN565

Yellow Zinc Coated for Interior Use: Pallet, Crating, EWP, and Metal Applications from 12 - 20 gauge


Part Number	Length	Dia.	Head	Collation	Coating	M/Case	Case / Skid
HSNS114113YZPH	1-1/4"	0.113	#2 PH	Plastic Coil	YZ	3.6	56
HSNS112113YZPH	1-1/2"	0.113	#2 PH	Plastic Coil	YZ	3.6	56

Intertek Report # 3100366-001 - Driven into 12 gauge steel


Size	Shear	Bend Yield	Pull-Out Resistance
1-1/2 x .113	1,097 lbs	111 lbf	520 lbf through 1/2" Densglass Gold®
1-1/2 x .113	1,097 lbs	111 lbf	741 lbf through 5/16" Hardiplank®

Increase Productivity 40% over collated screws and 70% over hand drive screws.

NailScrews® for fencing applications coming Spring 2008!



Patent Pending



Driven through 16 gauge metal

PT2000® Coating with Colors Engineered for Decking

Part Number	Length	Dia.	Head	Collation	Color	M/Case	Case / Skid
HSNS212113PSQC	2-1/2"	0.113	#1 SQ	Plastic Coil	Cedar	1.6	80
HSNS212113PSQG	2-1/2"	0.113	#1 SQ	Plastic Coil	Gray	1.6	80



Universal Fastener Outsourcing Presents:

TRUFAST


TF SOS Screw Bolt™

You can now "Screw In Your Bolts!"


Install these innovative **SELF-DRILLING** bolts with a torx or hex impact driver! Save **TIME** and **LABOR**. Knock off the self-drilling screw tip and install a washered nut.

Coated with TruCoat™ Coating for ACQ lumber.

Screw it in...Knock it off!



as easy as.....



Bolt Threads

1 Screw the SOS Screw Bolt™ In

2 Knock Off the Screw Tip

3 Secure the Bolt With a Washered Nut

Washer nuts included in the pail!



Usable Bolt Lengths (after screw tip is snapped off)
in inches: 3-1/2, 5, 5-1/2, 7, 7-1/2, 8, 9, 10, 12, 13
T40 Torx Head or Hex Head - All 5/16" Diameter
See Test Data at www.911-Nails.com!

Patented Design
Allowing You to
SNAP Off After
Installing!



Self Drilling Screw Threads!

Contact Us!

For: direct containers, fill-in orders, bulk screws, collated screws, 304 & 316 stainless steel nails and screws, hot dip galvanized, and more!



**Universal Fastener
Outsourcing, LLC**

www.911-Nails.com

Customer Service:

888-377-0028

Jim H. Boyd - Sales and Marketing

Jboyd@911-Nails.com - 479-443-9292

WC Litzinger - Sales and Management

Wclitz@911-Nails.com - 479-443-9292

Fax: 800-377-1109 or 479-443-9549



See Your Local Distributor Below:



© 2007 Universal Fastener Outsourcing

STAFDA Booth #217 Fall '07

NAWLA Booth #328 Fall '07

Deck Expo Booth #224 Spring '08